

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	0	2
		% within Sex	6.9%	.0%	5.3%
	20-24	Count	2	1	3
		% within Sex	6.9%	11.1%	7.9%
	25-29	Count	3	0	3
		% within Sex	10.3%	.0%	7.9%
	30-34	Count	3	1	4
		% within Sex	10.3%	11.1%	10.5%
	35-39	Count	7	1	8
		% within Sex	24.1%	11.1%	21.1%
	40-44	Count	7	4	11
		% within Sex	24.1%	44.4%	28.9%
	45-49	Count	4	1	5
		% within Sex	13.8%	11.1%	13.2%
	50-54	Count	0	1	1
		% within Sex	.0%	11.1%	2.6%
	70+	Count	1	0	1
		% within Sex	3.4%	.0%	2.6%
Total		Count	29	9	38
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	18	3	21
		% within Sex	62.1%	33.3%	55.3%
	African American	Count	2	2	4
		% within Sex	6.9%	22.2%	10.5%
	Hispanic	Count	9	4	13
		% within Sex	31.0%	44.4%	34.2%
	Total		29	9	38
			100.0%	100.0%	100.0%

a. HSDA = Lubbock

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	15	0	15
		% within Sex	51.7%	.0%	39.5%
	IDU	Count	3	2	5
		% within Sex	10.3%	22.2%	13.2%
	M-M & IDU	Count	4	0	4
		% within Sex	13.8%	.0%	10.5%
	Heterosexual Contact	Count	0	4	4
		% within Sex	.0%	44.4%	10.5%
	Not Classified	Count	7	3	10
		% within Sex	24.1%	33.3%	26.3%
Total	Count	29	9	38	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	21	21
		% within Adult-Ped	55.3%	55.3%
	African American	Count	4	4
		% within Adult-Ped	10.5%	10.5%
	Hispanic	Count	13	13
		% within Adult-Ped	34.2%	34.2%
Total	Count	38	38	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Lubbock

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	1	1
		% within Sex	.0%	16.7%	5.9%
	20-24	Count	0	1	1
		% within Sex	.0%	16.7%	5.9%
	25-29	Count	1	0	1
		% within Sex	9.1%	.0%	5.9%
	30-34	Count	2	0	2
		% within Sex	18.2%	.0%	11.8%
	35-39	Count	2	0	2
		% within Sex	18.2%	.0%	11.8%
	40-44	Count	4	1	5
		% within Sex	36.4%	16.7%	29.4%
	45-49	Count	1	1	2
		% within Sex	9.1%	16.7%	11.8%
	50-54	Count	0	2	2
		% within Sex	.0%	33.3%	11.8%
	60-64	Count	1	0	1
		% within Sex	9.1%	.0%	5.9%
Total		Count	11	6	17
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	1	6
		% within Sex	45.5%	16.7%	35.3%
	African American	Count	3	0	3
		% within Sex	27.3%	.0%	17.6%
	Hispanic	Count	3	5	8
		% within Sex	27.3%	83.3%	47.1%
	Total		Count	11	6
			% within Sex	100.0%	100.0%

a. HSDA = Lubbock

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6	0	6
		% within Sex	54.5%	.0%	35.3%
	IDU	Count	2	4	6
		% within Sex	18.2%	66.7%	35.3%
	M-M & IDU	Count	3	0	3
		% within Sex	27.3%	.0%	17.6%
	Heterosexual Contact	Count	0	2	2
		% within Sex	.0%	33.3%	11.8%
Total	Count	11	6	17	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	6	6
		% within Adult-Ped	35.3%	35.3%
	African American	Count	3	3
		% within Adult-Ped	17.6%	17.6%
	Hispanic	Count	8	8
		% within Adult-Ped	47.1%	47.1%
Total	Count	17	17	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Lubbock

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	0	2
		% within Sex	1.8%	.0%	1.3%
	2-4	Count	0	1	1
		% within Sex	.0%	2.7%	.7%
	5-12	Count	0	2	2
		% within Sex	.0%	5.4%	1.3%
	13-19	Count	3	1	4
		% within Sex	2.7%	2.7%	2.7%
	20-24	Count	7	5	12
		% within Sex	6.2%	13.5%	8.0%
	25-29	Count	14	3	17
		% within Sex	12.4%	8.1%	11.3%
	30-34	Count	15	3	18
		% within Sex	13.3%	8.1%	12.0%
	35-39	Count	23	3	26
		% within Sex	20.4%	8.1%	17.3%
	40-44	Count	24	8	32
		% within Sex	21.2%	21.6%	21.3%
	45-49	Count	15	8	23
		% within Sex	13.3%	21.6%	15.3%
	50-54	Count	5	3	8
		% within Sex	4.4%	8.1%	5.3%
	55-59	Count	1	0	1
		% within Sex	.9%	.0%	.7%
	60-64	Count	1	0	1
		% within Sex	.9%	.0%	.7%
	70+	Count	2	0	2
		% within Sex	1.8%	.0%	1.3%
	Unknown	Count	1	0	1
		% within Sex	.9%	.0%	.7%
Total		Count	113	37	150
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	70	13	83
		% within Sex	61.9%	35.1%	55.3%
	African American	Count	10	9	19
		% within Sex	8.8%	24.3%	12.7%
	Hispanic	Count	33	15	48
		% within Sex	29.2%	40.5%	32.0%
Total	Count	113	37	150	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	57	0	57
		% within Sex	50.4%	.0%	38.0%
	IDU	Count	16	20	36
		% within Sex	14.2%	54.1%	24.0%
	M-M & IDU	Count	20	0	20
		% within Sex	17.7%	.0%	13.3%
	Heterosexual Contact	Count	2	8	10
		% within Sex	1.8%	21.6%	6.7%
	Not Classified	Count	16	6	22
		% within Sex	14.2%	16.2%	14.7%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	1.8%	2.7%	2.0%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	2.7%	.7%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	2.7%	.7%
Total	Count	113	37	150	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	3	80	0	83
		% within Adult-Ped	60.0%	55.6%	.0%	55.3%
	African American	Count	1	18	0	19
		% within Adult-Ped	20.0%	12.5%	.0%	12.7%
	Hispanic	Count	1	46	1	48
		% within Adult-Ped	20.0%	31.9%	100.0%	32.0%
Total	Count	5	144	1	150	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	0	2
		% within Sex	1.9%	.0%	1.4%
	2-4	Count	0	1	1
		% within Sex	.0%	2.7%	.7%
	5-12	Count	0	2	2
		% within Sex	.0%	5.4%	1.4%
	13-19	Count	3	1	4
		% within Sex	2.8%	2.7%	2.8%
	20-24	Count	7	5	12
		% within Sex	6.6%	13.5%	8.4%
	25-29	Count	14	3	17
		% within Sex	13.2%	8.1%	11.9%
	30-34	Count	15	3	18
		% within Sex	14.2%	8.1%	12.6%
	35-39	Count	20	3	23
		% within Sex	18.9%	8.1%	16.1%
	40-44	Count	23	8	31
		% within Sex	21.7%	21.6%	21.7%
	45-49	Count	15	8	23
		% within Sex	14.2%	21.6%	16.1%
	50-54	Count	3	3	6
		% within Sex	2.8%	8.1%	4.2%
	55-59	Count	1	0	1
		% within Sex	.9%	.0%	.7%
	60-64	Count	1	0	1
		% within Sex	.9%	.0%	.7%
	70+	Count	1	0	1
		% within Sex	.9%	.0%	.7%
	Unknown	Count	1	0	1
		% within Sex	.9%	.0%	.7%
Total		Count	106	37	143
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	2	1	3
		% within Sex	1.9%	2.7%	2.1%
	13-19	Count	1	2	3
		% within Sex	.9%	5.4%	2.1%
	20-24	Count	3	3	6
		% within Sex	2.8%	8.1%	4.2%
	25-29	Count	7	3	10
		% within Sex	6.6%	8.1%	7.0%
	30-34	Count	13	3	16
		% within Sex	12.3%	8.1%	11.2%
	35-39	Count	20	5	25
		% within Sex	18.9%	13.5%	17.5%
	40-44	Count	25	8	33
		% within Sex	23.6%	21.6%	23.1%
	45-49	Count	15	6	21
		% within Sex	14.2%	16.2%	14.7%
	50-54	Count	13	6	19
		% within Sex	12.3%	16.2%	13.3%
	55-59	Count	3	0	3
		% within Sex	2.8%	.0%	2.1%
	60-64	Count	2	0	2
		% within Sex	1.9%	.0%	1.4%
	70+	Count	1	0	1
		% within Sex	.9%	.0%	.7%
	Unknown	Count	1	0	1
		% within Sex	.9%	.0%	.7%
Total		Count	106	37	143
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	66	13	79
		% within Sex	62.3%	35.1%	55.2%
	African American	Count	10	9	19
		% within Sex	9.4%	24.3%	13.3%
	Hispanic	Count	30	15	45
		% within Sex	28.3%	40.5%	31.5%
Total	Count	106	37	143	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	53	0	53
		% within Sex	50.0%	.0%	37.1%
	IDU	Count	14	20	34
		% within Sex	13.2%	54.1%	23.8%
	M-M & IDU	Count	19	0	19
		% within Sex	17.9%	.0%	13.3%
	Heterosexual Contact	Count	2	8	10
		% within Sex	1.9%	21.6%	7.0%
	Not Classified	Count	16	6	22
		% within Sex	15.1%	16.2%	15.4%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	1.9%	2.7%	2.1%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	2.7%	.7%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	2.7%	.7%
Total	Count	106	37	143	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	3	76	0	79
		% within Adult-Ped	60.0%	55.5%	.0%	55.2%
	African American	Count	1	18	0	19
		% within Adult-Ped	20.0%	13.1%	.0%	13.3%
	Hispanic	Count	1	43	1	45
		% within Adult-Ped	20.0%	31.4%	100.0%	31.5%
Total	Count	5	137	1	143	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	0	1	1
		% within Sex	.0%	14.3%	2.9%
	25-29	Count	1	0	1
		% within Sex	3.7%	.0%	2.9%
	30-34	Count	5	2	7
		% within Sex	18.5%	28.6%	20.6%
	35-39	Count	6	1	7
		% within Sex	22.2%	14.3%	20.6%
	40-44	Count	5	1	6
		% within Sex	18.5%	14.3%	17.6%
	45-49	Count	2	0	2
		% within Sex	7.4%	.0%	5.9%
Total	50-54	Count	6	1	7
		% within Sex	22.2%	14.3%	20.6%
	55-59	Count	1	1	2
		% within Sex	3.7%	14.3%	5.9%
	65-69	Count	1	0	1
		% within Sex	3.7%	.0%	2.9%
	Total		27	7	34
			100.0%	100.0%	100.0%

a. HSDA = Lubbock

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	9	2	11
		% within Sex	33.3%	28.6%	32.4%
	African American	Count	5	1	6
		% within Sex	18.5%	14.3%	17.6%
	Hispanic	Count	13	4	17
		% within Sex	48.1%	57.1%	50.0%
Total	Count	27	7	34	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	13	0	13
		% within Sex	48.1%	.0%	38.2%
	IDU	Count	3	4	7
		% within Sex	11.1%	57.1%	20.6%
	M-M & IDU	Count	6	0	6
		% within Sex	22.2%	.0%	17.6%
	Heterosexual Contact	Count	1	2	3
		% within Sex	3.7%	28.6%	8.8%
	Not Classified	Count	4	1	5
		% within Sex	14.8%	14.3%	14.7%
Total	Count	27	7	34	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	11	11
		% within Adult-Ped	32.4%	32.4%
	African American	Count	6	6
		% within Adult-Ped	17.6%	17.6%
	Hispanic	Count	17	17
		% within Adult-Ped	50.0%	50.0%
Total	Count	34	34	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Lubbock

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	30-34	Count	2	0	2
		% within Sex	22.2%	.0%	20.0%
	35-39	Count	2	0	2
		% within Sex	22.2%	.0%	20.0%
	40-44	Count	2	1	3
		% within Sex	22.2%	100.0%	30.0%
	45-49	Count	1	0	1
		% within Sex	11.1%	.0%	10.0%
	50-54	Count	1	0	1
		% within Sex	11.1%	.0%	10.0%
	60-64	Count	1	0	1
		% within Sex	11.1%	.0%	10.0%
Total	Count	9	1	10	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	1	6
		% within Sex	55.6%	100.0%	60.0%
	Hispanic	Count	4	0	4
		% within Sex	44.4%	.0%	40.0%
Total		Count	9	1	10
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7	0	7
		% within Sex	77.8%	.0%	70.0%
	IDU	Count	0	1	1
		% within Sex	.0%	100.0%	10.0%
	M-M & IDU	Count	2	0	2
		% within Sex	22.2%	.0%	20.0%
Total	Count	9	1	10	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	6	6
		% within Adult-Ped	60.0%	60.0%
	Hispanic	Count	4	4
		% within Adult-Ped	40.0%	40.0%
Total		Count	10	10
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lubbock

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	2	1	3
		% within Sex	.5%	2.1%	.7%
	13-19	Count	2	1	3
		% within Sex	.5%	2.1%	.7%
	20-24	Count	16	2	18
		% within Sex	4.0%	4.3%	4.0%
	25-29	Count	73	6	79
		% within Sex	18.3%	12.8%	17.7%
	30-34	Count	85	17	102
		% within Sex	21.3%	36.2%	22.9%
	35-39	Count	87	5	92
		% within Sex	21.8%	10.6%	20.6%
	40-44	Count	54	6	60
		% within Sex	13.5%	12.8%	13.5%
	45-49	Count	38	1	39
		% within Sex	9.5%	2.1%	8.7%
	50-54	Count	20	2	22
		% within Sex	5.0%	4.3%	4.9%
	55-59	Count	13	3	16
		% within Sex	3.3%	6.4%	3.6%
	60-64	Count	6	1	7
		% within Sex	1.5%	2.1%	1.6%
	65-69	Count	2	2	4
		% within Sex	.5%	4.3%	.9%
	70+	Count	1	0	1
		% within Sex	.3%	.0%	.2%
Total	Count	399	47	446	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	242	20	262
		% within Sex	60.7%	42.6%	58.7%
	African American	Count	42	13	55
		% within Sex	10.5%	27.7%	12.3%
	Hispanic	Count	115	14	129
		% within Sex	28.8%	29.8%	28.9%
	Total	Count	399	47	446
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	269	0	269
		% within Sex	67.4%	.0%	60.3%
	IDU	Count	39	28	67
		% within Sex	9.8%	59.6%	15.0%
	M-M & IDU	Count	67	0	67
		% within Sex	16.8%	.0%	15.0%
	Hemophiliac	Count	1	0	1
		% within Sex	.3%	.0%	.2%
	Heterosexual Contact	Count	4	7	11
		% within Sex	1.0%	14.9%	2.5%
	Transfusion	Count	2	3	5
		% within Sex	.5%	6.4%	1.1%
	Not Classified	Count	15	8	23
		% within Sex	3.8%	17.0%	5.2%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.5%	.0%	.4%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	2.1%	.2%
Total	Count	399	47	446	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	262	262
		% within Adult-Ped	.0%	59.1%	58.7%
	African American	Count	1	54	55
		% within Adult-Ped	33.3%	12.2%	12.3%
	Hispanic	Count	2	127	129
		% within Adult-Ped	66.7%	28.7%	28.9%
Total	Count	3	443	446	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	0	1	1
		% within Sex	.0%	3.2%	.5%
	13-19	Count	2	0	2
		% within Sex	1.2%	.0%	1.0%
	20-24	Count	5	2	7
		% within Sex	3.0%	6.5%	3.6%
	25-29	Count	25	4	29
		% within Sex	15.1%	12.9%	14.7%
	30-34	Count	38	12	50
		% within Sex	22.9%	38.7%	25.4%
	35-39	Count	39	3	42
		% within Sex	23.5%	9.7%	21.3%
	40-44	Count	29	5	34
		% within Sex	17.5%	16.1%	17.3%
	45-49	Count	13	1	14
		% within Sex	7.8%	3.2%	7.1%
	50-54	Count	9	1	10
		% within Sex	5.4%	3.2%	5.1%
	55-59	Count	4	1	5
		% within Sex	2.4%	3.2%	2.5%
	60-64	Count	1	0	1
		% within Sex	.6%	.0%	.5%
	65-69	Count	1	1	2
		% within Sex	.6%	3.2%	1.0%
Total	Count	166	31	197	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	13-19	Count	0	1	1
		% within Sex	.0%	3.2%	.5%
	20-24	Count	1	1	2
		% within Sex	.6%	3.2%	1.0%
	25-29	Count	3	2	5
		% within Sex	1.8%	6.5%	2.5%
	30-34	Count	22	3	25
		% within Sex	13.3%	9.7%	12.7%
	35-39	Count	33	7	40
		% within Sex	19.9%	22.6%	20.3%
	40-44	Count	44	10	54
		% within Sex	26.5%	32.3%	27.4%
	45-49	Count	30	3	33
		% within Sex	18.1%	9.7%	16.8%
	50-54	Count	17	2	19
		% within Sex	10.2%	6.5%	9.6%
	55-59	Count	11	0	11
		% within Sex	6.6%	.0%	5.6%
	60-64	Count	2	0	2
		% within Sex	1.2%	.0%	1.0%
	65-69	Count	3	1	4
		% within Sex	1.8%	3.2%	2.0%
	70+	Count	0	1	1
		% within Sex	.0%	3.2%	.5%
Total		Count	166	31	197
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	90	16	106
		% within Sex	54.2%	51.6%	53.8%
	African American	Count	19	7	26
		% within Sex	11.4%	22.6%	13.2%
	Hispanic	Count	57	8	65
		% within Sex	34.3%	25.8%	33.0%
Total	Count	166	31	197	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	105	0	105
		% within Sex	63.3%	.0%	53.3%
	IDU	Count	16	21	37
		% within Sex	9.6%	67.7%	18.8%
	M-M & IDU	Count	37	0	37
		% within Sex	22.3%	.0%	18.8%
	Heterosexual Contact	Count	2	4	6
		% within Sex	1.2%	12.9%	3.0%
	Not Classified	Count	6	5	11
		% within Sex	3.6%	16.1%	5.6%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	3.2%	.5%
Total	Count	166	31	197	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	106	106
		% within Adult-Ped	.0%	54.1%	53.8%
	African American	Count	1	25	26
		% within Adult-Ped	100.0%	12.8%	13.2%
	Hispanic	Count	0	65	65
		% within Adult-Ped	.0%	33.2%	33.0%
Total	Count	1	196	197	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Lubbock

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

HSDA = Lubbock

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	0	2
		% within Sex	.7%	.0%	.6%
	2-4	Count	0	1	1
		% within Sex	.0%	1.5%	.3%
	5-12	Count	0	3	3
		% within Sex	.0%	4.4%	.9%
	13-19	Count	5	1	6
		% within Sex	1.8%	1.5%	1.8%
	20-24	Count	12	7	19
		% within Sex	4.4%	10.3%	5.6%
	25-29	Count	39	7	46
		% within Sex	14.3%	10.3%	13.5%
	30-34	Count	53	15	68
		% within Sex	19.5%	22.1%	20.0%
	35-39	Count	59	6	65
		% within Sex	21.7%	8.8%	19.1%
	40-44	Count	52	13	65
		% within Sex	19.1%	19.1%	19.1%
	45-49	Count	28	9	37
		% within Sex	10.3%	13.2%	10.9%
	50-54	Count	12	4	16
		% within Sex	4.4%	5.9%	4.7%
	55-59	Count	5	1	6
		% within Sex	1.8%	1.5%	1.8%
	60-64	Count	2	0	2
		% within Sex	.7%	.0%	.6%
	65-69	Count	1	1	2
		% within Sex	.4%	1.5%	.6%
	70+	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Unknown	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	272	68	340
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	2	1	3
		% within Sex	.7%	1.5%	.9%
	13-19	Count	1	3	4
		% within Sex	.4%	4.4%	1.2%
	20-24	Count	4	4	8
		% within Sex	1.5%	5.9%	2.4%
	25-29	Count	10	5	15
		% within Sex	3.7%	7.4%	4.4%
	30-34	Count	35	6	41
		% within Sex	12.9%	8.8%	12.1%
	35-39	Count	53	12	65
		% within Sex	19.5%	17.6%	19.1%
	40-44	Count	69	18	87
		% within Sex	25.4%	26.5%	25.6%
	45-49	Count	45	9	54
		% within Sex	16.5%	13.2%	15.9%
	50-54	Count	30	8	38
		% within Sex	11.0%	11.8%	11.2%
	55-59	Count	14	0	14
		% within Sex	5.1%	.0%	4.1%
	60-64	Count	4	0	4
		% within Sex	1.5%	.0%	1.2%
	65-69	Count	3	1	4
		% within Sex	1.1%	1.5%	1.2%
	70+	Count	1	1	2
		% within Sex	.4%	1.5%	.6%
	Unknown	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	272	68	340
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	156	29	185
		% within Sex	57.4%	42.6%	54.4%
	African American	Count	29	16	45
		% within Sex	10.7%	23.5%	13.2%
	Hispanic	Count	87	23	110
		% within Sex	32.0%	33.8%	32.4%
	Total		Count	272	68
			% within Sex	100.0%	100.0%

a. HSDA = Lubbock

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	158	0	158
		% within Sex	58.1%	.0%	46.5%
	IDU	Count	30	41	71
		% within Sex	11.0%	60.3%	20.9%
	M-M & IDU	Count	56	0	56
		% within Sex	20.6%	.0%	16.5%
	Heterosexual Contact	Count	4	12	16
		% within Sex	1.5%	17.6%	4.7%
	Not Classified	Count	22	11	33
		% within Sex	8.1%	16.2%	9.7%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	.7%	1.5%	.9%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	1.5%	.3%
	Ped Other-Undet	Count	0	2	2
		% within Sex	.0%	2.9%	.6%
Total		Count	272	68	340
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lubbock

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	3	182	0	185
		% within Adult-Ped	50.0%	54.7%	.0%	54.4%
	African American	Count	2	43	0	45
		% within Adult-Ped	33.3%	12.9%	.0%	13.2%
	Hispanic	Count	1	108	1	110
		% within Adult-Ped	16.7%	32.4%	100.0%	32.4%
Total	Count	6	333	1	340	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Lubbock